

# SAFETY DATA SHEET



## Texrite Flowrite 250

As of date: 2018

### Section 1 Product Description

**Product Name:** Flowrite 250  
**Recommended Use:** Self-leveling Underlayment  
**Synonyms:** Surface patch, Resurfacer, Floor patching mortar

**Manufacturer:** Texas Cement Products, dba Texrite  
4000 Pinemont, Houston, Texas 77018, USA  
713-682-8411  
www.texrite.com

**General Phone Number:** 713-682-8411 (8am-3pm, CST, M-F)

**General Fax Number:** 713-688-2488

### Section 2 Hazards Identification

Classification of the chemical in accordance with paragraph (d) of 1910.1200;



**Signal Word:** Danger

**GHS Class:** Serious Eye Damage/Eye Irritation, Category 1,  
Skin Corrosion/Irritation, Category 2  
Skin Sensitizer/Allergic skin reaction, Category 1  
Carcinogen/May cause cancer if inhaled, Category 1A,  
May cause respiratory irritation, STOT SE3  
Damage to organs through prolonged or repeated exposure if inhaled, STOT RE1

**Hazard Statements:** H100s = General, H200s = Physical, H300s = Health, H400s = Environmental

H302 -Harmful if swallowed.  
H315 -Causes skin irritation.  
H317 -May cause an allergic skin reaction.  
H318 -Causes serious eye damage.  
H319 -Causes serious eye irritation.  
H335 -May cause cancer if inhaled.  
H350.A -May cause respiratory irritation.  
H372.A - Causes damage to organs through prolonged or repeated exposure if inhaled.

**Precautionary Statements:** P201 -Obtain special instructions before use.  
P202 -Do not handle until all safety precautions have been read and understood.  
P260.B -Do not breathe dust.  
P264.3 -Wash skin thoroughly after handling.  
P270 -Do not eat, drink or smoke when using this product.  
P271 -Use only outdoors or in a well-ventilated area.  
P272 -Contaminated work clothing should not be allowed out of the workplace  
P280.B -Wear protective gloves and eye, face protection.  
P302+P352,9 -IF ON SKIN. Wash with plenty of water  
P304+P340 -IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P305+P351+P338 -IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308+P313 -IF exposed or concerned: Get medical advice / attention.

P310.A -Immediately call a POISON CENTER.  
 P314 -Get medical advice/attention if you feel unwell.  
 P321 .A -Specific treatment (see supplementary instructions on this label)  
 P333+P313 -If skin irritation or rash occurs: Get medical advice/attention.  
 P362+P364 -Take &contaminated clothing and wash it before reuse.  
 P403+P233 -Store in a well-ventilated place. Keep container lightly dosed.  
 P405 -Store locked up.  
 P501A -Dispose of contents/container in accordance with Local, State, Federal and Provincial regulations.

Ingredients(s) with unknown acute toxicity: None

Hazards not otherwise classified identified during the classification process: None

### Section 3 Composition Information and Ingredients

**Mixture:**

<u>Component Name</u>	<u>CAS #</u>	<u>WT %</u>	<u>Classification</u>
Silica Sand	14808-60-7	40-60%,	Carc. 1A, H350A, STOT RE 1, H372A
Portland Cement	65997-15-1	1-15%	STOT SE 3, H335: Eye Dam 1, H318 Skin Sens. 1, H317; Skin Irrit. 2, H315
Lithium Carbonate	554-13-2	0.1-5%	Acute Tox. 4, H302; Eye Irrit. 2A, H319

### Section 4 First-Aid Measures

**Emergency and First Aid Procedures**

**Inhalation:** Remove casualty to fresh air and keep at rest. If breathing is irregular or stopped, administer artificial respiration. In case of inhalation, consult a doctor immediately and show him packing or label.

**Eyes:** IF IN EYES: Rinse cautiously with water with the eyelids open for a sufficient length of time. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation continues, then get medical advice/attention immediately. Protect uninjured eye.

**Skin Contact:** IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.

**Ingestion:** If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

**Most Important symptoms/effects, acute and delayed:**  
 Eye Irritation  
 Eye damages  
 Skin Irritation

**Indication of any immediate medical attention and special treatment needed:**  
 In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

### Section 5 Fire Fighting Measures

**Extinguishing Media:** Use carbon dioxide, or water spray when fighting fires involving this material.

**Fire Fighting Methods and Protection:** Firefighters should wear full protective equipment and NIOSH approved self-contained breathing apparatus.

**Fire and/or Explosion Hazards:** Do not inhale explosion and combustion gases. Burning produces heavy smoke.

**Hazardous Combustion Products:** N.A.

**Explosive properties:** N.A.

**Oxidizing properties:** N.A.

**Special protective equipment and precautions for fire-fighters:**

Use suitable breathing apparatus.  
 Collected contaminated fire extinguishing water separately. This must not be discharged into drains.  
 Move undamaged containers from immediate hazard area if it can be done safely.

## Section 6 Accidental Release Measures

**Steps to Take in Case Material Is Released or Spilled:** Wear personal protection equipment. Wear breathing apparatus if exposed to vapors/dusts/aerosols. Provide adequate ventilation. Use appropriate respiratory protection. See protective measures under section 7 and 8. Ventilate the contaminated area.  
 Suitable material for taking up: absorbing material, organic, sand. Wash with plenty of water.

## Section 7 Handling and Storage

**Handling:** Avoid contact with skin and eyes, Inhalation of vapors and mists. Exercise the greatest care when handling or opening the container. Use localized ventilation system. Don't use empty container before they have been cleaned. Before making transfer operations, assure that there aren't any incompatible material residuals in the containers. Contaminated clothing should be changed before entering eating areas. Do not eat or drink while working. See also section 8 for recommended protective equipment. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.

**Storage:** Keep dry. Keep container tightly closed & upright when not in use to prevent leakage.

**Storage Code:** N.A.

## Section 8 Exposure Controls / Personal Protection

List of components with OEL value

Component	OEL Type Country	Ceiling	Long Term mg/m3	Long Term ppm	Short Term mg/m3	Short Term ppm	Behavior	Note
Silica Sand	ACGIH		0.025					A2-Suspected Human Carcinogen; lung cancer; pulmonary fibrosis
Portland cement	OSHA OSHA ACGIH		15 5 1					A4- Not classifiable as a Human Carcinogen;; pulmonary function: respiratory symptoms; asthma

**Control Parameters Engineering Measures:** General room ventilation might be required to maintain operator comfort under normal conditions of use. Avoid generating airborne dust

**Personal Protective Equipment (PPE):**

**Respiratory Protection:** No respiratory protection required under normal conditions of use.  
**Respirator Type(s):** Use NIOSH approved air purifying respirator with dust filter.

**Eye Protection:** Wear close fitting safety glasses or goggles when handling this product.

**Skin Protection:** Avoid skin contact by wearing clothing that provides comprehensive protection. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work.

**Gloves:** PVC, neoprene, rubber, nitrile

## Section 9 Physical and Chemical Properties

Appearance:	Gray Powder
Odor:	Cement likes
Odor Threshold:	None
pH (Neutrality):	12.00
Melting Point/Freezing Point:	N.A.
Boiling Range (lbp,50%,Dry Point):	N.A.
Flash Point (Test Method):	N.A.
Evaporation Rate	
(n-Butyl Acetate=1):	N.A.
Flammability Classification:	N.A.
Lower Flammable	
Limit in Air (% by vol):	N.A.
Upper Flammable	
Limit in Air (% by vol):	N.A.
Vapor Pressure (mm of Hg)@20 C:	N.A.
VAPOR DENSITY (Air=1):	N.A.
GRAVITY @ 68/68F / 20/20C:	
Specific Gravity (Water=1):	N.A.
Pounds/Gallon:	N.A.
Water Solubility:	Soluble
Partition Coefficient (n-Octane/Water):	N.A.
Auto Ignition Temperature:	N.A.
Decomposition Temperature:	N.A.
Other Information	
Substance Groups relevant properties	N.A.
Miscibility:	N.A.
Fat Solubility:	N.A.
Conductivity:	N.A.

## Section 10 Stability and Reactivity

Reactivity:	Stable under normal conditions.
Chemical Stability:	No data available
Possibility of Hazardous Reaction:	None
Conditions to Avoid:	Stable under normal conditions.
Incompatible Materials:	None in particular
Hazardous Decomposition Products:	None

## Section 11 Toxicological Information

Toxicological Information of the mixture:

There is no toxicological data available on the mixture. Consider the individual concentrations of each component to assess toxicological effects resulting from exposure to the mixture.

Toxicological Information on the main components of the mixture:

Silica Sand	a) acute toxicity	LD50 (Oral): =500 mg/kg (Rat)
Lithium Carbonate	a) acute toxicity	LD50 (Inhalation): >217 mg/l 4h (Rat)

If not differently specified, the information required in the regulation and listed below must be considered NA.

- a) acute toxicity
- b) skin corrosion/irritation
- c) serious eye damage/irritation
- d) respiratory or skin sensitization
- e) germ cell mutagenicity
- f) carcinogenicity
- g),reproductive toxicity
- h) STOT - single exposure
- l) STOT -repeated exposure
- J) aspiration hazard

Substance(s) listed on the IARC Monographs: Silica Sand Group 1  
 Substance(s) listed as OSHA Carcinogen(s): Silica Sand  
 Substance(s) listed as NIOSH Carcinogen(s): Silica Sand  
 Substance(s) listed on the NTP report on Carcinogens: Silica Sand

## Section 12 Ecological Information

**Overview:** Adopt good working practices, so that the product is not released into the environment.

### Ecotoxicity:

<u>QTY , Chemical Name</u>	<u>CAS Number</u>	<u>Eco Toxicity</u>
40-60%, Silica Sand	14808-60-7	LC 50 a) Aquatic acute toxicity carp >10000.00000 mg/L 72h

**Persistence and degradability:** The polymeric component is not expected to biodegrade.  
**Bioaccumulative potential:** No data  
**Mobility in soil:** No data  
**Other Adverse Effects:** No data

## Section 13 Disposal Considerations

**Disposal Methods:** Dispose in accordance with all applicable Federal, State and Local regulations. Always contact a permitted waste disposer (TSD) to assure compliance.  
**Waste Disposal Code(s):** Not Determined

## Section 14 Transport Information

UN number  
 ADR-UN number: N/A  
 DOT-UN number: N/A  
 IATA-UN number: N/A  
 IMDG-UN number: N/A  
 UN proper shipping name  
 ADR-Shipping Name: N/A  
 DOT Proper Shipping Name: N/A  
 IATA-Technical name: N/A  
 IMDG-Technical name: N/A  
 Transport hazard class(es)  
 ADR- Class: N/A  
 DOT Hazard Class: N/A  
 IATA- Class: N/A  
 IMDG-Class: N/A  
 Packing group  
 ADR Packing Group: N/A  
 DOT-Packing group: N/A  
 IATA-Packing group: N/A  
 IMDG-Packing group: N/A  
 Environmental hazards  
 Marine pollutant: No  
 Environmental Pollutant: N.A.  
 Transport in bulk according to Annex II of MARPOL73/78 and the IBC code: N.A.  
 Special Precautions  
 Department of Transportation (DOT):

DOT-Special Provision(s):	N/A
DOT Label(s):	N/A
DOT Symbol:	N/A
DOT Cargo Aircraft:	N/A
DOT Passenger Aircraft:	N/A
DOT Bulk:	N/A
DOT Non-Bulk:	N/A
Road and Rail (ADR-RID):	
ADR-Label:	N/A
ADR Hazard identification number:	N/A
ADR Tunnel Restriction Code:	N/A
Air ( IATA ) :	
IATA- Passenger Aircraft:	N/A
IATA- Cargo Aircraft :	N/A
IATA- Label:	N/A
IATA- Subrisk:	N/A
IATA- Erg:	N/A
IATA- Special Provisions:	N/A
Sea (IMDG):	
IMDG -Stowage Code:	N/A
IMDG -Stowage Note:	N/A
IMDG -Subrisk:	N/A
IMDG -Special Provisions:	N/A
IMDG -Page:	N/A
IMDG -Label:	N/A
IMDG -EMIS:	N/A
IMDG -MFAG:	N/A

## Section 15 Regulatory Information

### USA - Federal regulations

TSCA • Toxic Substances Control Act

TSCA Inventory:

All the components are listed on the TSCA inventory

TSCA listed substances:

Silica Sand	is listed in TSCA	Section 8b
Portland cement	is listed in TSCA	Section 8b
Lithium carbonate	is listed in TSCA	Section 8b

SARA - Superfund Amendments and Reauthorization Act

Section 302 – Extremely Hazardous Substances: no substance listed

Section 304 –Hazardous substances: no substance listed

Section 313 – Toxic chemical list: Lithium carbonate

CERCLA – Comprehensive Environmental Response, Compensations, and Liability Act

Substance(s) listed under CERCLA: no substance listed

CAA – Clean Air Act

CAA Substances listed: no substance listed

CWA – Clean Water Act

CWA Substances listed: no substance listed

### USA - state specific regulations

California Proposition 65

Substance(s) listed under California Proposition 65

Silica Sand listed as carcinogen

Lithium carbonate listed as reproductive toxicant

Massachusetts right to know  
Substance(s) listed under Massachusetts Right to Know;  
Silica Sand  
Portland cement  
Lithium carbonate


Pennsylvania Right to know  
Substance(s) listed under Pennsylvania Right to Know;  
Silica Sand  
Portland cement

New Jersey Right to know  
Substance(s) listed under New Jersey Right to Know;  
Silica Sand  
Portland cement  
Lithium carbonate

## Section 16 Other Information

This information is intended solely for the use of individuals trained in the NFPA & HMIS hazard rating systems.

NFPA:



HMIS III:

HEALTH	*	2
FLAMMABILITY		0
PHYSICAL HAZARD		0

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

HMIS Health: 2 = MODERATE  
HMIS Health - Is health hazard chronic?: Yes  
HMIS Flammability: 0 = Not Combustible  
HMIS Reactivity: 0 = MINIMAL  
HMIS P.P.E.: Safety glasses, gloves, dust respirators

NFPA Health: 2 = MODERATE  
NFPA Flammability: 0 = Not Combustible  
NFPA Reactivity: 0 = MINIMAL  
NFPA Special Risk: NONE

Code	Description
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H350A	May cause cancer if inhaled
H372A	Causes damage to organs through prolonged or repeated exposure if inhaled

The information provided in this (Material) Safety Data Sheet represents a compilation of data drawn directly from various sources available to us. Texrite makes no representation or guarantee as to the suitability of this information to a particular application of the substance covered in the (Material) Safety Data Sheet.

### Glossary

ACGIH	-American Conference of Governmental Industrial Hygienists	OSHA	-Occupational Safety and Health Administration
CAS	-Chemical Abstract Service Number	PEL	-Permissible Exposure Limit
CERCLA	-Comprehensive Environmental Response, Compensation, and Liability Act	ppm	-Parts per million
DOT	-U.S. Department of Transportation	RCRA	-Resource Conservation and Recovery Act
IARC	-International Agency for Research on Cancer	SARA	-Superfund Amendments and Reauthorization
N/A	-Not Available	TLV	-Threshold Limit Value
NTP	-National Toxicology Program	TSCA	-Toxic Substances Control Act
		IDLH	-Immediately dangerous to life and health



# SAFETY DATA SHEET



## Texrite Bonding Primer 500

As of date: 2018

### Section 1 Product Description

**Product Name:** Bonding Primer 500  
**Recommended Use:** Water based adhesive, surface primer  
**Synonyms:** latex liquid, bonding agent, additive, admix  
**Manufacturer:** Texas Cement Products, dba Texrite  
4000 Pinemont, Houston, Texas 77018, USA  
713-682-8411  
www.texrite.com  
**General Phone Number:** 713-682-8411 (8am-3pm, CST, M-F)  
**General Fax Number:** 713-688-2488

### Section 2 Hazards Identification

Classification of the chemical in accordance with paragraph (d) of 1910.1200;

**Signal Word:** N/A  
**GHS Class:** Not a hazardous substance or mixture.  
**Hazard Statements:** Not a hazardous substance or mixture.  
**Precautionary Statements:** Not a hazardous substance or mixture.  
**Emergency Overview:**  
Appearance - liquid  
Color - white  
Odor -sweet

#### Potential Health Effects:

Carcinogenicity:  
IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.  
OSHA No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potentialcarcinogen by OSHA.  
NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### Section 3 Composition Information and Ingredients

**Substance / Mixture:** Mixture

<u>Component</u>	<u>CAS #</u>	<u>Amount</u>
Water	7732-18-5	>= 45.0 - <= 55.0 %
Latex polymer	Trade secret	>= 45.0 - <= 55.0 %

### Section 4 First-Aid Measures

## Emergency and First Aid Procedures

<b>Inhalation:</b>	In case of accident by inhalation: Move to fresh air. If symptoms persist, call a physician.
<b>Eyes:</b>	IF IN EYES: Flush eyes with water at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if eye irritation develops or persists.
<b>Skin Contact:</b>	IF ON SKIN: Wash off with soap and water.
<b>Ingestion:</b>	Do not induce vomiting. Seek medical attention if symptoms develop. Provide medical care provider with this MSDS.

## Section 5 Fire Fighting Measures

<b>Extinguishing Media:</b>	Not combustible. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
<b>Suitable extinguishing media:</b>	Not combustible. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
<b>Unsuitable extinguishing media:</b>	none
<b>Specific hazards during fire fighting:</b>	Cool closed containers exposed to fire with water spray.
<b>Specific extinguishing methods:</b>	none
<b>Further information:</b>	This product is an aqueous mixture that will not burn. Dried product film will burn in a fire.

## Section 6 Accidental Release Measures

<b>Personal precautions, protective equipment and emergency procedures:</b>	Refer to protective measures listed in sections 7 and 8.
<b>Environmental precautions:</b>	No special environmental precautions required. Prevent product from entering drains.
<b>Steps to Take in Case Material Is Released or Spilled:</b>	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

## Section 7 Handling and Storage

<b>Advice on safe handling:</b>	No special precautions are needed in handling this material.
<b>Conditions for safe storage:</b>	Keep container closed when not in use. Keep in a dry, cool place
<b>Materials to avoid:</b>	Do not freeze. No special restrictions
<b>Storage temperature:</b>	>40 °F

## Section 8 Exposure Controls / Personal Protection

### Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

**Control Parameters**

**Engineering Measures:** Contains no substances with occupational exposure limit values.

**Personal Protective Equipment (PPE):** No personal respiratory protective equipment normally required.  
In case of insufficient ventilation, wear suitable respiratory equipment.

**Eye Protection:** Safety glasses

**Gloves:** Nitrile rubber for prolonged or repeated contact use protective gloves.

**Protective Measure:** No special protective equipment required.

**Section 9 Physical and Chemical Properties**

Flash Point: Not applicable  
Evaporation rate: not determined  
Flammability (solid, gas): Not classified as a flammability hazard

Upper explosion limit:  
    upper flammability limit: not determined  
Lower explosion limit:  
    lower flammability limit: not determined

Vapor pressure: not determined  
Relative vapor density: not determined

Density: 8.8 - 9.2 lb/gal  
Solubility(ies)

Water solubility: dispersible  
Partition coefficient:  
n-octanol/water: No data available

Autoignition temperature: not determined

Viscosity  
Viscosity, dynamic: 2,000 - 2,600 cP  
Solid Content, % by weight : 45-55

**Section 10 Stability and Reactivity**

**Reactivity:** No data available  
**Chemical Stability:** The product is chemically stable.  
**Possibility of hazardous reactions:** Hazardous polymerization does not occur.  
**Hazardous decomposition products:** Stable under normal conditions.

**Section 11 Toxicological Information**

**Symptoms (Acute):**

**Acute toxicity**

**Product:**

Acute oral toxicity: Acute toxicity estimate : > 5,000 mg/kg  
Method: Calculation method  
Acute dermal toxicity: Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

**Skin corrosion/irritation:**

**Serious eye damage/eye irritation:**

No data available  
No data available

<b>Respiratory or skin sensitization:</b>	No data available
<b>Germ cell mutagenicity:</b>	No data available
<b>Carcinogenicity:</b>	No data available
<b>Reproductive toxicity:</b>	No data available
<b>STOT-single exposure:</b>	No data available
<b>STOT-repeated exposure:</b>	No data available
<b>Aspiration toxicity:</b>	No data available

## Section 12 Ecological Information

<b>Ecotoxicity:</b>	No data available
<b>Persistence and degradability:</b>	No data available
<b>Bioaccumulative potential:</b>	No data available
<b>Mobility in soil:</b>	No data available
<b>Other adverse effects:</b>	No data available

## Section 13 Disposal Considerations

### Disposal Methods:

**Waste from residues:** To the best of our knowledge, this product does not meet the definition of hazardous waste under the U.S. EPA Hazardous Waste Regulations 40 CFR 261. Solidify and dispose of in an approved landfill. Consult state, local or provincial authorities for more restrictive requirements. The hazard and precautionary statements displayed on the label also apply to any residues left in the container.

## Section 14 Transport Information

### Special precautions for user

Remarks : Not dangerous goods

### Domestic regulation

### International Regulation

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code:**  
Not applicable for product as supplied.

## Section 15 Regulatory Information


<b>SARA 311/312 Hazards:</b>	No SARA Hazards
<b>SARA 302 :</b>	SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
<b>SARA 313 :</b>	SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) report
<b>Clean Air Act:</b>	This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).
<b>US State Regulations</b>	
<b>California Prop 65</b>	This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

**The ingredients of this product are reported in the following inventories:**

<b>TSCA:</b>	On TSCA Inventory
<b>DSL:</b>	All components of this product are on the Canadian DSL.
<b>REACH:</b>	Not in compliance with the inventory
<b>AICS:</b>	Not in compliance with the inventory
<b>NZIoC:</b>	Not in compliance with the inventory
<b>ENCS:</b>	Not in compliance with the inventory
<b>KECI:</b>	Not in compliance with the inventory
<b>PICCS:</b>	Not in compliance with the inventory
<b>IECSC:</b>	On the inventory, or in compliance with the inventory
<b>TWINV:</b>	Not in compliance with the inventory
<b>Inventories Legend</b>	TSCA (USA), DSL (Canada), REACH(Europe), AICS (Australia), NZIoC (New Zealand), ENCS (Japan), KECI (Korea), PICCS (Philippines), IECSC (China), TWINV(Taiwan)

**Section 16 Other Information**

**NFPA:**



**HMIS III:**

<b>HEALTH</b>	<b>0</b>
<b>FLAMMABILITY</b>	<b>0</b>
<b>PHYSICAL HAZARD</b>	<b>0</b>

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

**NFPA:**

Flammability:	0
Health:	0
Instability:	0
Special hazard:	NONE

**HMIS III:**

HEALTH	0
FLAMMABILITY:	0
PHYSICAL HAZARD:	0

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

The information provided in this (Material) Safety Data Sheet represents a compilation of data drawn directly from various sources available to us. Texrite makes no representation or guarantee as to the suitability of this information to a particular application of the substance covered in the (Material) Safety Data Sheet.

**Glossary**

ACGIH -American Conference of Governmental Industrial Hygienists	DOT -U.S. Department of Transportation
CAS -Chemical Abstract Service Number	IARC -International Agency for Research on Cancer
CERCLA -Comprehensive Environmental Response, Compensation, and Liability Act	N/A -Not Available
	NTP -National Toxicology Program

OSHA -Occupational Safety and Health  
Administration  
PEL -Permissible Exposure Limit  
ppm -Parts per million  
RCRA -Resource Conservation and Recovery Act

SARA -Superfund Amendments and  
Reauthorization  
TLV -Threshold Limit Value  
TSCA -Toxic Substances Control Act  
IDLH -Immediately dangerous to life and  
health